

L Number	Hits	Search Text	DB	Time stamp
-	2469	(438/570 or 438/571 or 438/582 or 438/981).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:57
-	214	(148/dig.139 or 148/dig.140).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:58
-	967	(257/281 or 257/284 or 257/471 or 257/483 or 257/594).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:59
-	3470	((438/570 or 438/571 or 438/582 or 438/981).ccls.) or ((148/dig.139 or 148/dig.140).ccls.) or ((257/281 or 257/284 or 257/471 or 257/483 or 257/594).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 14:59
-	1257963	trench or groove	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:40
-	261046	schottky or rectif\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:00
-	237	((438/570 or 438/571 or 438/582 or 438/981).ccls.) or ((148/dig.139 or 148/dig.140).ccls.) or ((257/281 or 257/284 or 257/471 or 257/483 or 257/594).ccls.)) and (trench or groove) and (schottky or rectif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:45
-	557490	diode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:53
-	2367850	bottom	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:47
-	7252445	side or wall or side\$1wall	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:47
-	2209708	thick\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:47
-	1652007	thin\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:48
-	22224	(trench or groove) same bottom same thick\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:50
-	29883	(trench or groove) same (side or wall or side\$1wall) same thin\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:53

-	781266	break\$1down or leak\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:54
-	4067	((trench or groove) same bottom same thick\$5) and ((trench or groove) same (side or wall or side\$1wall) same thin\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:54
-	73	((trench or groove) same bottom same thick\$5) and ((trench or groove) same (side or wall or side\$1wall) same thin\$5)) and (schottky or rectif\$7) and diode and (break\$1down or leak\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 15:55
-	329792	nitride or "sin" or "si.sub.3n.sub.4" or "si.sub.3 n.sub.4"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:42
-	1553452	oxide or di\$loxiide or "sio.sub.2"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:43
-	918310	oxidi\$6 or oxidat\$5 or grown	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:44
-	3429	(trench or groove) with (side or wall or side\$1wall) with (nitride or "sin" or "si.sub.3n.sub.4" or "si.sub.3 n.sub.4")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:47
-	1331	(trench or groove) with bottom with (oxide or di\$loxiide or "sio.sub.2") with (oxidi\$6 or oxidat\$5 or grown)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:49
-	394	((trench or groove) with (side or wall or side\$1wall) with (nitride or "sin" or "si.sub.3n.sub.4" or "si.sub.3 n.sub.4")) and ((trench or groove) with bottom with (oxide or di\$loxiide or "sio.sub.2") with (oxidi\$6 or oxidat\$5 or grown))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:49
-	18	((trench or groove) with (side or wall or side\$1wall) with (nitride or "sin" or "si.sub.3n.sub.4" or "si.sub.3 n.sub.4")) and ((trench or groove) with bottom with (oxide or di\$loxiide or "sio.sub.2") with (oxidi\$6 or oxidat\$5 or grown))) and (schottky or rectif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 16:49
-	2	("10193783").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 17:45
-	2	("10193783").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 17:48
-	0	10.src. and 193783.ap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/28 17:50

-	2	("20040007723").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/28 17:50
-	6	(("4646115") or ("5612567") or ("5998833")).PN.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/10/29 10:03